

# RICOH FT3613/FT3813

---



**The Compact Copier for Smaller Businesses**

# The small giant

In a thriving business space and time are a premium. With this in mind you will require a very compact but highly capable and reliable copier. The Ricoh FT3613/FT3813 is not only compact; it produces a first copy after only 6.9 seconds, and quietly continues at a speed of 13 copies per minute. The operation panel with its large colour-coded buttons offers ease of use for everybody. A selection of copy modes ensures high-quality copies from virtually any original. Thanks to the bypass tray you can feed a variety of paper types for enhanced flexibility in paper handling. The FT3613/FT3813 offers all these benefits from an environmentally conscious design, which enables recycling of parts and reduces power consumption. Look no further for an affordable quality solution. The FT3613/FT3813 is modest in appearance, but for your business it is giant steps ahead!



# The compact copier with gigantic performance



## **Straightforward operation**

The new FT3613/FT3813 copier has a compact and ergonomic design that easily fits in your office. A straightforward operation panel with large colour-coded buttons ensures easy access for all users to a host of features for flexible, trouble-free copying at a speed of 13 cpm. The zoom feature on the FT3813 enables reduction or enlargement of your documents from 61 to 141%.

## **Unique A3 - A3 copying**

You would not believe it from its compact size, but the FT3613/FT3813 is the first A3 copier in its segment. You now have the ability to copy from an A3 original directly onto A3 size paper, instead of having to reduce your original image. A3 copies are delivered at a swift 9 cpm, so you do not even have to wait long for this added advantage!

## **Solid quality**

Fine toner particles and a sensitive OPC drum ensure excellent image quality. The result is sharp, clear images with crisp fine lines and dense black solids. Moreover, the FT3613/FT3813 features a short paper path for reduced wear and tear and greater reliability.

## **Grand performance**

Equipped with a 250-sheet paper tray, the FT3613/FT3813 is suitable for copying larger jobs. This enhances your office productivity and saves you lots of time. The FT3613/FT3813 is designed for flexible paper handling, as it can be refilled easily from the front. An independent 80-sheet bypass offers you the choice of different paper, tackling paper up to 157g/m<sup>2</sup>. The optional Auto Document Feeder on the FT3813 holds up to 30 originals and feeds your documents automatically at 13 cpm. So just push the button to get it all done!

## **Modes for good measure**

The FT3613/FT3813 comes with extra modes to add to its functionality. Series Copies Mode, for instance, is ideal for copying books and making two A4 copies of a double-paged original.

By simply pushing the Photo mode button the same high quality standards of reproduction are guaranteed for images as well as photographs. Furthermore, with the User Code Mode you can keep count of the number of copies made by various users.

## **Environmentally conscious**

Thanks to Ricoh's respect for the environment, the FT3613/FT3813 boasts an environmentally conscious design. The Energy Saver mode reduces power consumption when the machine is not in use, and reduces ozone and heat emissions to a minimum. The toner recycling system of the FT3613/FT3813 collects leftover toner from the drum and returns it to the supply unit for reuse. Moreover, dismantling and recycling of parts is facilitated by the material symbol marking of plastic parts.

# RICOH FT3613/FT3813



FT3613



FT3813 with options

## FT3613 Specifications

<b>Configuration:</b>	Desktop
<b>Copying Process:</b>	Dry Electrostatic Transfer System
<b>Maximum Original Size:</b>	A3
<b>Paper Size:</b>	Max. A3 (297 x 420 mm) Min. A6 (105 x 148 mm)
<b>Paper Weight:</b>	64 ~ 90g/m <sup>2</sup> Bypass: 52 ~ 157g/m <sup>2</sup>
<b>Paper Capacity:</b>	One 250-sheet Tray plus 80-sheet Bypass Tray
<b>Multiple Copying:</b>	1 ~ 99
<b>Warm-up Time:</b>	Max. 35 sec.
<b>First Copy Speed:</b>	Max. 6.9 sec. (A4)
<b>Copying Speed:</b>	A4: 13 cpm
<b>Power Source:</b>	220-230V/50-60 Hz
<b>Power Consumption:</b>	Max. 1.1 kW (Mainframe only)
<b>Dimensions (W x D x H):</b>	579 x 560 x 420 mm
<b>Weight:</b>	40.5 kg

## FT3813 Specifications

<b>Configuration:</b>	Desktop
<b>Copying Process:</b>	Dry Electrostatic Transfer System
<b>Maximum Original Size:</b>	A3
<b>Paper Size:</b>	Max. A3 (297 x 420 mm) Min. A6 (105 x 148 mm)
<b>Paper Weight:</b>	64 ~ 90g/m <sup>2</sup> Bypass: 52 ~ 157g/m <sup>2</sup>
<b>Paper Capacity:</b>	One 250-sheet Tray plus 80-sheet Bypass Tray
<b>Multiple Copying:</b>	1 ~ 99
<b>Warm-up Time:</b>	Max. 35 sec.
<b>First Copy Speed:</b>	Max. 6.9 sec. (A4)
<b>Copying Speed:</b>	A4: 13 cpm
<b>Zoom Range:</b>	61 ~ 141%
<b>Power Source:</b>	220-230V/50-60 Hz
<b>Magnification Ratios:</b>	Enlargement: 122, 141% Reduction: 71, 82, 93%
<b>Power Consumption:</b>	Max. 1.1 kW (Mainframe only)
<b>Dimensions (W x D x H):</b>	579 x 560 x 420 mm
<b>Weight:</b>	40.5 kg

## FT3813 Options:

### Auto Document Feeder (Optional)

<b>Original Size:</b>	A3 ~ A5
<b>Original Weight:</b>	52 ~ 105g/m <sup>2</sup>
<b>Original Stack Capacity:</b>	30 sheets (80g/m <sup>2</sup> )
<b>Original Feeding Speed:</b>	13 cpm (A4)
<b>Power Consumption:</b>	45 W
<b>Dimensions (W x D x H):</b>	590 x 443 x 87.5 mm
<b>Weight:</b>	7.0 kg

*Specifications are subject to change without notice.  
The colour(s) of the actual product may vary from  
the colour(s) shown in this brochure.*



Ricoh has determined  
that this product meets  
the ENERGY STAR guidelines  
for energy efficiency.



Printed with  
Ecolith Ink  
with respect for the environment



Image Communication

Home Page: <http://www.ricoh-europe.com>

Ricoh believes in conserving the earth's precious natural resources.  
This brochure is printed on environmentally friendly paper.

RICOH EUROPE B.V. Groenelaan 3, P.O. Box 114, 1180 AC Amstelveen, The Netherlands. Phone: +31 (0)20-5474111 Fax: +31 (0)20-6418601

For more information, please contact: